The Everett Clinic

Part of Optum®

3901 Hoyt Avenue Everett, WA 98201 425-259-0966

Diagnostic imaging Phone: 1-425-317-3400 Fax: 1-425-339-4297 Exam and procedure order form

Last		First		
Cell/home phone	Work phone		DOB	MRN#
Weight, height	Allergies		Pregnant 🛛 Ye	s 🛛 No
Type of exam:				
Reason for exam:				

Exam			
		Exam/CPT	code(s)
	MRI		
	СТ		
	X-ray		
	Ultrasound		
	Nuc med (non-cardiac)		
	Screening mammogram		
	Fluoro injection/aspiration		
	Bone density/DEXA		
	Other:		
		□Left	□Right
Contra	st		
	With		
	Without		
	As indicated by radiologist		
	Arthrogram (Pre-MRI & CT)		
Contra	st information		
	Allergic to iodinated contrast		
	Allergic to gadolinium		
	allergic, call 1-425-317-3400 for	premed ins	tructions.
Will need	creatinine (<30 days) IF:		
	Renal insufficiency/nephrectomy		
	Diabetic		
	>60 Years Old		
	Medication for hypertension (CT Only)		
	Multiple myeloma or other hype	•	а
	Dialysis (additional instructions	apply)	
	Creatinine level:		
	Date Drawn:		
Prior, o	comparison		

Prior, comparison

Please list date and facility if there are any relevant before imaging studies:

Please have patient call our scheduling line if they have not received a phone call after 48 hours of submitting this order.

© 2021 The Everett Clinic, part of Optum. All rights reserved.

Diagnosis code(s)

Authorization is required before scheduling for all CT, MRI and nuclear medicine exams.

Authorization number:

Authorization dates: to:

Clinical decision support

Clinical decision support is now required prior to scheduling for all CT, MRI and nuclear medicine exams.

Decision support number:

Decision support vendor:

Decision support score:

MRI safety screening

Claustrophobic
Any implanted or attached devices or metal to include: pacemaker, neurostimulator, defibrillator, vascular stents, aneurysm clips or any other metal from surgery or injury
Specify

Report, image request		
	Routine	
	Stat call report phone:	
	Give patient CD	
	Push to PACS	
Referring provider/NPI#:		

Name

Facility

Phone

Physician signature

NPI #

Visit everettclinic.com for detailed driving directions.

Bothell

9924 NE 185th St., Ste. 215 Bothell, WA 98011 X-ray

Eastside

1200 112th Ave. NE Bellevue, WA 98004 X-ray Screening Mammography DEXA

Edmonds

21401 72nd Ave. West Edmonds, WA 98026 Ultrasound Screening Mammography X-ray CT MRI

Everett Campus

Founders Building 3901 Hoyt Ave. Everett, WA 98201 X-ray Screening Mammography DEXA Nuclear Medicine

Everett Campus

Gunderson Building 3927 Rucker Ave. Everett, WA 98201 X-ray CT MRI Ultrasound

Harbour Pointe

4410 106th St. SW Mukilteo, WA 98275 X-ray

Lake Stevens

8910 Vernon Road Lake Stevens, WA 98258 X-ray

Notes:

Marysville

4420 76th St. NE Marysville, WA 98270 X-ray

Mill Creek

15418 Main St. Mill Creek, WA 98012 X-ray Screening Mammography

Shoreline

1201 N 175th St. Shoreline, WA 98133 X-ray

Silver Lake

1818 121st St. SE Silver Lake, WA 98208 X-ray

Smokey Point

2901 174th St. NE Marysville, WA 98271 X-ray CT MRI Screening Mammography DEXA Ultrasound

Snohomish

401 Second St. Snohomish, WA 98290 X-ray

Stanwood

7205 265th St. NW Stanwood, WA 98292 X-ray

Thomas Lake

3916 148th St. SE Building 2 Mill Creek, WA 98012 X-ray

	Procedure	Patient guidelines
3270	CT with IV contrast	No solid foods for 4 hours before your appointment time. You may drink liquids.
012	CT abdomen (middle of the body) and/or pelvis	No solid foods for 4 hours before your appointment time. Please drink 16 ounces of water one hour before your appointment time. You may be asked to drink more water once you arrive.
	CT IVP	Nothing to eat 4 hours before your exam. You may drink liquids.
	MRI abdomen (includes MRI abdomen, MRI abdomen and pelvis, MRI enterography, MRI MRCP)	You cannot have anything to eat or drink for 6 hours before your appointment.
<u>=</u> 98208 i nt <u>=</u> 3271	Ultrasound abdomen	 No foods or liquids should be taken 10 hours before your appointment time. If you take medications, please take with a small amount of water. Since air or gas may cause problems with the exam, don't chew gum the morning of the test.
	Ultrasound abdomen and pelvis on the same day	 Same as the abdominal prep except you must drink 32 ounces of water 45 minutes before your exam. Do not empty bladder.
98290	Ultrasound renal (related to kidney or organ that filters blood)	 Drink 32 ounces of water 45 minutes before your exam. Do not empty bladder.
W 3292 K e E 8012	Ultrasound obstetric of pelvis	 You must complete drinking 32 ounces of water 45 minutes before your exam (no coffee, tea or soda). Do not empty bladder. If you are more than 13 weeks pregnant, you don't need to drink water and have a full bladder for the test. Food may be eaten as long as the required amount of liquid is taken. No videotaping is allowed during utrasound. This exam may involve a vaginal scan.